

ALUMAWELD

2017 Super Vee Pro



STANDARD FEATURES	21'	23'	25'
• Aluminum transom storage box with tray (3/4 offset port) with Southco latch	STD	STD	STD
• Armor Tech™ premium floorboards with Dura Tuff™ non-skid vinyl covering	STD	STD	STD
• Built in aluminum fuel tank with gauge	STD	STD	STD
• Continuously welded box girder construction	STD	STD	STD
• Electric bilge pump w/auto switch	1200 GPH	2000 GPH	2000 GPH
• Exclusive lifetime warranty	STD	STD	STD
• Extended step deck with dry storage and fish box with Southco latches	STD	STD	STD
• Five switch panel with panel fuses, dual USB port, and 12-volt outlet	STD	STD	STD
• Four deluxe comfort seats on adjustable aluminum storage boxes	STD	STD	STD
• Four weld-on gunnel cleats located under coaming	STD	STD	STD
• Full coaming gunnel	STD	STD	STD
• Full length storage trays	STD	STD	STD
• Full outside paint (single color / single stage)	STD	STD	STD
• Rod grippers	STD	STD	STD
• Running / mooring lights	STD	STD	STD
• Six full length lifting / turning strakes	STD	STD	STD
• Slotted chine and gunnel extrusions	STD	STD	STD
• Stainless steel hinges on boxes and storage lids	STD	STD	STD
• Two bolt-on transducer brackets	STD	STD	STD
• Under floor protective coating	STD	STD	STD
• Vinyl graphics	STD	STD	STD
• Weld-on aluminum stern eyes	STD	STD	STD
• Weld-on bow cleat on inner foredeck	STD	STD	STD
• Weld-on double bow eye	STD	STD	STD
• Weld-on zinc anode	STD	STD	STD
• Zolatone interior	STD	STD	STD

MODEL SPECIFICATIONS	21'	23'	25'
Hull center length	21'5"	23'5"	25'5"
Beam	98"	98"	98"
Beam at the chine	82"	82"	82"
Inside freeboard	26"	26"	26"
Side height	30.5"	30.5"	30.5"
Transom height	25"	25"	25"
Deadrise	6°	6°/10°	10°
Bottom thickness	.190	.190	.190
Side thickness	.125	.125	.160
Transom thickness	.190	.190	.190
Approx. weight	1,620#	1,780#	2,150#
Persons / capacity	7/1,050#	9/1,350#	9/1,350#
Weight capacity	1,850#	2,120#	2,120#
Fuel capacity	37 Gal.	37/45 Gal.	45 Gal
Max. hp prop / jet	250/175	250/175	250/175

Prices and specifications subject to change without notice.